

## TOE RIVER HEALTH DISTRICT

## Avery & Mitchell County Health Departments



## APPLICATION FOR APPROVAL TO CONSTRUCT OR RENOVATE A PUBLIC SWIMMING POOL

Name of Facility:					-
Address of Facility:					
	Street	City		Zip Code	
Type of Plan Review:	New Construction	Remodel	Othe	r	
	Spa/Hot Tub ttraction (please specify):			•	erapy Pool –
Fitness/Athletic Subdivision/Apartm	ease check all that apply) Swim Club ent Complex	Spa Institution Institution	<u></u>	l/Motel	-
Select All That Apply:	Indoor	Outdoor	Year-Round	Seasonal (A	April 1-October 31)
Water Supply:	Community	Well			
Sewage Disposal:	Community	Onsite System			
Pool overflow	and backwash to:				_
Owner:					_
Mailing Address:					
	Street	Cit	y, State	Zip Code	
Phone Number:	Email: _				
Alternate #:					
Contractor:					
Address of Contractor:					
	Street	City, S	State	Zip Code	
Phone Number:	Email: _				
Alternate #:					
Pools shall be constructed	d by a contractor licensed by	NC Licensing Board fo	or General Con	tractors as requ	ired by G.S. 87-1

Page 1 of 5 Revised 8/4/2014

Engineer:			
Address of Engineer: _	Street	City, State	Zip Code
Phone Number:	Email:		
Alternate #:			
Pool plans and specification	s shall be prepared by a registered de	esign professional as required b	ny G.S. 89C Engineer

## The owner shall submit:

- A minimum of two complete sets of plans for review. Plans shall be drawn to scale. All prints and drawings shall be a minimum of 18 x 24 inches and a maximum size of 36 x 42 inches. Plans shall include:
  - 1. Plan and sectional view dimensions of both the pool and the area enclosed by the barrier fences to include the bathhouse and the equipment room and pool accessories;
  - 2. Specifications of all treatment equipment used and their layout in the equipment room;
  - 3. A piping schematic showing piping, pipe size, inlets, main drains, skimmers, gutter outlets, vacuum fittings and all other appurtenances connected to the pool-piping system;
  - 4. Layout of the chemical storage room; and
  - 5. Specifications for the water supply and wastewater disposal systems that include aspects such as well location and backwash water disposal where applicable.
  - Plan review fee payment of \$300.00
  - Application for approval to construct or renovate a public swimming pool.

Specification documents submitted for:	<u>lf Applicable</u> :
Circulation Pump	Pool Heater
Filter	Slide
Automatic Chemical Feeder	Diving equipment
Skimmers	Surge Container
Equalizer Suction Outlet Cover	Variable Height Surface Skimmer
Return Flow Meter	Water Recreation Features
Main Drain Covers/Grates	Feature Pump
Adjustable Inlets	

Page 2 of 5 Revised 8/4/2014

Will pool be lifeguarded? Yes No	
Number of units of life saving equipment: Ring Buoy & Body Hook: of each	
Location of emergency pool phone:	-
Pool Surface Area:sq. ft	
Pool Perimeter:ft	
Volume:gallons	
Turnover Rate:GPM	
Maximum User Loading for Pool:	
Materials of Construction:	
Pool Shell: Concrete Vinyl Gunite Fiberglass Other:	
Pool Finish Color:	
Pool Surface Finish Slip Resistant? Yes No	
Shallow Area Depth:ft	
Pool Area <5 ft deep:sq. ft Slope in <5 ft deep:	
Pool Area >5 ft deep:sq. ft Slope in >5 ft deep:	
Number of Skimmers: Number of Inlets:	
Skimmer Pipe Size: in Inlet Pipe Size: in	
Max GPM Equalizer Cover Can Handle:	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:in	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:in  Hydrotherapy Drain Size (if available) :sq. in	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:in  Hydrotherapy Drain Size (if available) :sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:in  Hydrotherapy Drain Size (if available) :sq. in	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available) : sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:in  Hydrotherapy Drain Size (if available) :sq. in  Max GPM Hydrotherapy Drain Cover Can Handle: Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available):sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in  Max GPM Feature Drain Cover Can Handle:	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available):sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in  Max GPM Feature Drain Cover Can Handle:  Feature Drain Pipe Size:in	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available):sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in  Max GPM Feature Drain Cover Can Handle:	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available):sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in  Max GPM Feature Drain Cover Can Handle:  Feature Drain Pipe Size:in	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available):sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in  Max GPM Feature Drain Cover Can Handle:  Feature Drain Pipe Size:in  Filter Flow Rate: GPM per sq. ft of bed area	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle: Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available):sq. in Max GPM Hydrotherapy Drain Cover Can Handle: Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in Max GPM Feature Drain Cover Can Handle: Feature Drain Pipe Size:in Filter Flow Rate: GPM per sq. ft of bed area  Type of Disinfection: Chlorine Bromine Salt Water System Biguanide	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available):sq. in  Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available):sq. in  Max GPM Feature Drain Cover Can Handle:  Feature Drain Pipe Size:in  Filter Flow Rate: GPM per sq. ft of bed area  Type of Disinfection:	
Main Drain Size:sq. in Max GPM Main Drain Cover Can Handle:  Main Drain Pipe Size:in  Hydrotherapy Drain Size (if available): sq. in Max GPM Hydrotherapy Drain Cover Can Handle:  Hydrotherapy Drain Pipe Size:in  Feature Drain Size (if available): sq. in Max GPM Feature Drain Cover Can Handle:  Feature Drain Pipe Size:in  Filter Flow Rate: GPM per sq. ft of bed area  Type of Disinfection:	

Page 3 of 5 Revised 8/4/2014

Deck Lighting (if provided): \_\_\_\_\_ ft-candles

Decking:	
Type:	
Finish:	
Slope:	
Barrier Fence:	
Fence/entrance gate detail drawn on pla	n? Yes (skip to next section)
, , , , , , , , , , , , , , , , , , ,	No (provide fence schematic)
Type:	Fence Height:ft
Height of Release Mechanism on Access (	ate(s): Gate(s):in
RESTROOMS AND SHOWERS:	
Number of fixtures provided:	
<del></del>	<u>females</u>
	Showers:
<del></del>	Lavatories:
<del></del>	Water Closets:
Urinals:	
Panch or room provided for droceing?	□Vos □No
Bench or room provided for dressing?	Yes No
Are showers provided on the pool deck enclosure	
Are showers drained to sanitary sewer?	Yes
	vastewater system.  Extra rinse showers and foot showers may deviate from
these requirements.	vastewater system. Extra mise showers and jook showers may deviate from
,	
<b>CHEMICAL AND EQUIPMENT ROOM:</b>	
Chemical Room Dimensions: width _	
Shelf provided	Lighting
The Street Stree	Duft Double a female
Type of Ventilation: Natural Cross	
Vented away	rrom pool
Equipment Room Dimensions: width	length height
Lighting	0 0 -
Floor drain to sanitary sewer	
Floor sloped not less than ¼ inch to dr	ain
Type of Ventilation: Natur	al Cross Draft Continuous Forced
Vente	d away from pool

Page 4 of 5 Revised 8/4/2014

<u>CALCULATIONS</u> :
POOL PERIMETER (ft):
SUFACE AREA (ft²):
VOLUME (gallons):
FLOW RATE (gpm):
TURNOVER RATE:
BATHER LOAD:
RESPONSIBILITY:
<b>The Department</b> shall approve, disapprove or provide written comments on plans and specifications for public swimming pools within 30 days of their receipt. If such action is not taken within 30 days, the plans and specifications are deemed approved. If construction is not initiated within one year from the date of approval, the approval is void.
<b>The Swimming Pool Contractor</b> shall contact the local health department when pool pipes are in place and visible so that the local health department may conduct an open-pipe inspection of the pool piping.
<u>Upon completion of construction</u> , the contractor shall notify the local health department and the owner. The contractor shall provide the owner with a complete set of drawings, which show built, the location of all pipes and the connections of all equipment and written operating instructions for all equipment.
Prior to issuances of the operation permit, <b>The Owner</b> shall submit to the local health department a statement signed by a registered design professional stating that construction is complete and in accordance with approved plans and specification and approved modifications.
Omissions or non-compliance with the .2500 NC Public Swimming Pool Rules will result in plans being disapproved.
No construction shall be initiated until plans are approved. If construction is not initiated within one year after plan approval, the approval is void.
Any deviation from approved plans without prior approval from the Department will void approval.
Signed: Date: Owner

Page 5 of 5 Revised 8/4/2014